

ActiveShuttle Compatible Accessories (RA93834454)

ActiveShuttle Documentation


Date: 11-Nov-2022

1 Overview of compatible dollies

Manufacturer	Product Name	Type / Number / Code	Info
K. Hartwall Oy Ab	Type I	DOS-1325D.1	
K. Hartwall Oy Ab	Type II	DOS-1472B.2	
K. Hartwall Oy Ab	Type IV	DOS-1340D.2	Operation only without additional brake
K. Hartwall Oy Ab	Type V	DOS-1334D.2	
K. Hartwall Oy Ab	Type VII A	DOS1406C.4	
K. Hartwall Oy Ab	Type VII B	DOS1489C.4	
K. Hartwall Oy Ab	HDLL.10009-5		All configurations beside "wheel position 1 & brake" possible
K. Hartwall Oy Ab	HDLL-10011-5		All configurations beside "wheel position 1 & brake" possible
CSP GmbH	KLT-Bodenroller 600 x 400	20013040000a	max. 250 KG
FATH	KLT/Eurobehälter 400 x 600 mm		max. 250 KG

1 Compatible dollies

2 Supermarket, supermarket rails, end caps and brakes

Manufacturer	Product Name	Type / Number / Code	Info
BLOKSMA-Engineering GmbH	Supermarket	G3 SW 41	
ORGATEX GmbH & Co. KG	FiFo Monorail 40mm	MONO-BP	
Bosch Rexroth AG	FiFo Station		
ORGATEX GmbH & Co. KG	FiFo Station 40mm		
ORGATEX GmbH & Co. KG	FiFo Monorail rail brush brake		<p>If FiFo monorails are close to one another: When assembling, make sure that the brake does not come into the area of the adjacent track.</p>
			<p>The minimum distance from the blue line / Orgatex rails is 450mm. As a result, there is a 25mm buffer to the left and right of the dolly for a tilted load or avoidance of crushing.</p> <p>Requirements:</p> <ul style="list-style-type: none"> • Transport with approved dollies • Height of the load max. 1.2 m. • Exclusively Transport of load carriers (KLT) • No wedging or tilting of load carriers (KLT) <p>For a reliable process, a greater distance of approx. 500mm between the rails is recommended.</p>

2 Compatible supermarket components

3 Other Accessories

Manufacturer	Product Name	Type / Number / Code	Info
HEUTE Maschinenfabrik GmbH & Co. KG	Reifenreinigungssystem ProfilGate® - xs-Modell		Using the tire cleaning system can lead to increased wear on the drive and support wheels.

3 Accessories