

Hydraulics Network



TANKS & ACCESSORIES

2023



OIL SOLUTIONS


PO Box 38
Strathfieldsaye, VIC, 3551
1800 OIL SOL
1800 645 765
sales@oilsolutions.com.au
www.oilsolutions.com.au
"For All Your Hydraulic Needs"

Industrial Steel Tanks



Part #	List Price \$		Useable Litres	Volume	Tank Size mm			Total Unit Height mm
	Uncoated	Coated			L	W	H	
SE10LT		n/a	10 L	12 L	310	240	207	225
IT-25			25 L	28 L	360	360	220	225
IT-40			40 L	60 L	500	350	350	450
IT-70			70 L	100 L	600	425	400	500
IT-120			120 L	165 L	700	500	475	575
IT-200			200 L	260 L	800	600	550	650
IT-300			300 L	380 L	900	700	600	700
IT-400			400 L	500 L	900	700	800	900

Note: for COATED option, add "C" to end of part number, e.g. IT-25C



Tank Lid Gaskets




Part #	List Price \$	Material	Size
GUS10		Paper	To suit 10 L tank
ITG-25C		Cork	To suit 25 L tank
ITG-40C		Cork	To suit 40 L tank
ITG-70C		Cork	To suit 70 L tank
ITG-120C		Cork	To suit 120 L tank
ITG-200C		Cork	To suit 200 L tank
ITG-300C		Cork	To suit 300/400 L tank



Tank Lid - Uncoated and Uncut



Part #	List Price \$	Description
ITL10		Lid for 10 L tanks - uncoated and lid bolt holes only
ITL25		Lid for 25 L tanks - uncoated and lid bolt holes only
ITL40		Lid for 40 L tanks - uncoated and lid bolt holes only
ITL70		Lid for 70 L tanks - uncoated and lid bolt holes only
ITL120		Lid for 120 L tanks - uncoated and lid bolt holes only
ITL200		Lid for 200 L tanks - uncoated and lid bolt holes only
ITL300		Lid for 300/400 L tanks - uncoated and lid bolt holes only



Suction Butterfly Valves - see page 259



1800-OILSOL
1800-645765

<https://oilsolutions.com.au/>

sales@oilsolutions.com.au

Tank Lids - Coated & Cut



Part #	List Price \$	Tank Size	Motor Size	Breather	Filter	Manifold
ITL10-90-M3		10 L	D80-90	FB3	n/a	2-6 Cetop3 valves
ITL10-90-M3-S3		10 L	D80-90	FB3	n/a	P+T or single Cetop3 valve
ITL10-RFB		10 L	n/a	FB3	TIFP04	n/a
ITL25-71-M3		25 L	D71	FB3	FIF-04	2-6 Cetop3 valves
ITL25-71-S3		25 L	D71	FB3	FIF-04	P+T or single Cetop3 valve
ITL25-90-M3		25 L	D80-90	FB3	FIF-04	2-6 Cetop3 valves
ITL25-90-S3		25 L	D80-90	FB3	FIF-04	P+T or single Cetop3 valve
ITL25-100-M3		25 L	D100-112	FB3	FIF-04	2-6 Cetop3 valves
ITL25-100-S3		25 L	D100-112	FB3	FIF-04	P+T or single Cetop3 valve
ITL25-RFB		25 L	n/a	FB6	TIFP04	n/a
ITL40-71-M3		40 L	D71	FB3	FIF-04	2-6 Cetop3 valves
ITL40-71-S3		40 L	D71	FB3	FIF-04	P+T or single Cetop3 valve
ITL40-90-M3		40 L	D80-90	FB3	FIF-04	2-6 Cetop3 valves
ITL40-90-S3		40 L	D80-90	FB3	FIF-04	P+T or single Cetop3 valve
ITL40-100-M3		40 L	D100-112	FB3	FIF-04	2-6 Cetop3 valves
ITL40-100-S3		40 L	D100-112	FB3	FIF-04	P+T or single Cetop3 valve
ITL40-RFB-TIFP06		40 L	n/a	FB6	TIFP06	n/a
ITL70-90-M3		70 L	D80-90	FB6	FIF-06/08	2-6 Cetop3 valves
ITL70-90-S3		70 L	D80-90	FB6	FIF-06/08	P+T or single Cetop3 valve
ITL70-100-M3		70 L	D100-112	FB6	FIF-06/08	2-6 Cetop3 valves
ITL70-100-S3		70 L	D100-112	FB6	FIF-06/08	P+T or single Cetop3 valve
ITL70-132-M3		70 L	D132	FB6	FIF-06/08	2-6 Cetop3 valves
ITL70-132-S3		70 L	D132	FB6	FIF-06/08	P+T or single Cetop3 valve
ITL70-RFB		70 L	n/a	FB6	TIFP06	n/a
ITL120-100-M3		120 L	D100-112	FB6	FIF-06/08	2-6 Cetop3 valves
ITL120-100-S3		120 L	D100-112	FB6	FIF-06/08	P+T or single Cetop3 valve
ITL120-132-M3		120 L	D132	FB6	FIF-06/08	2-6 Cetop3 valves
ITL120-132-S3		120 L	D132	FB6	FIF-06/08	P+T or single Cetop3 valve
ITL120-160-M5		120 L	D160-180	FB6	FIF-10	2-6 Cetop3 valves
ITL120-160-S5		120 L	D160-180	FB6	FIF-10	P+T or single Cetop3 valve
ITL120-RFB		120 L	n/a	FB6	TIFP10	n/a
ITL200-132-M5		200 L	D132	FB6	FIF-10	2-6 Cetop5 valves
ITL200-132-S5		200 L	D132	FB6	FIF-10	P+T or single Cetop5 valve
ITL200-160-M5		200 L	D160-180	FB6	FIF-10	2-6 Cetop5 valves
ITL200-160-S5		200 L	D160-180	FB6	FIF-10	P+T or single Cetop5 valve
ITL200-RFB		200 L	n/a	FB6	TIFP10	n/a
ITL300-160-M5		300-400 L	D160-180	FB6	FIF-10	2-6 Cetop5 valves
ITL300-160-S5		300-400 L	D160-180	FB6	FIF-10	P+T or single Cetop5 valve
ITL300-RFB		300-400 L	n/a	FB6	TIFP10	n/a
ITL300-200-M5		300-400 L	D200	FB6	TIFP10	2-6 Cetop5 valves
ITL300-200-S5		300-400 L	D200	FB6	TIFP10	P+T or single Cetop5 valve
ITL300-225-M5		300-400 L	D225	FB6	TIFP10	2-6 Cetop5 valves
ITL300-225-S5		300-400 L	D225	FB6	TIFP10	P+T or single Cetop5 valve
ITL300-250-M5		300-400 L	D250	FB6	TIFP10	2-6 Cetop5 valves
ITL300-250-S5		300-400 L	D250	FB6	TIFP10	P+T or single Cetop5 valve



1800-OILSOL
1800-645765

<https://oilsolutions.com.au/>

sales@oilsolutions.com.au

Suction Butterfly Valves

Part #	List Price \$	Size	Max Working Pressure	Differential Pressure
SDA0040		DIN40 SAE 1.1/2"	7 bar	6 bar
SDA0050		DIN50 SAE 2"	7 bar	6 bar
SDA0063		DIN65 SAE 2.1/2"	7 bar	6 bar
SDA0080		DIN80 SAE 3"	7 bar	6 bar
SDA0100		DIN100 SAE 4"	7 bar	6 bar
SDA0125		DIN125 SAE 5"	7 bar	6 bar

SDA Series (front)



SDA Series (back)






SDAET Series



Adaptor Flange

Part #	List Price \$	Description	Material
SDAET040K		Adaptor NG40	ST37 Steel
SDAET063K		Adaptor NG50 & 63	ST37 Steel
SDAET080K		Adaptor NG80	ST37 Steel
SDAET100K		Adaptor NG100	ST37 Steel
SDAET125K		Adaptor NG125	ST37 Steel



1800-OILSOL
1800-645765

<https://oilsolutions.com.au/>

sales@oilsolutions.com.au

Compensators - SAE

Part #	List Price \$	Size	Material	Max Working Pressure
SDKSS025		NG25 SAE 1"	NBR/CR Steel	1.5 bar (absolute)
SDKSS032		NG32 SAE 1.1/4"	NBR/CR Steel	1.5 bar (absolute)
SDKSS040		NG40 SAE 1.1/2"	NBR/CR Steel	1.5 bar (absolute)
SDKSS050		NG50 SAE 2"	NBR/CR Steel	1.5 bar (absolute)
SDKSS063		NG63 SAE 2.1/2"	NBR/CR Steel	1.5 bar (absolute)
SDKSS080		NG80 SAE 3"	NBR/CR Steel	1.5 bar (absolute)
SDKSS092		NG90 SAE 3.1/2"	NBR/CR Steel	1.5 bar (absolute)
SDKSS100		NG100 SAE 4"	NBR/CR Steel	1.5 bar (absolute)
SDKSS126		NG125 SAE 5"	NBR/CR Steel	1.5 bar (absolute)

SAE Series



DIN Series





Compensators - DIN


Part #	List Price \$	Size	Material	Nominal Pressure
SDKHDD6D60032N00		NG32	NBR/CR Steel	Up to 16 bar
SDKHDD6D60040N00		NG40	NBR/CR Steel	Up to 16 bar
SDKHDD6D60050N00		NG50	NBR/CR Steel	Up to 16 bar
SDKHDD6D60065N00		NG65	NBR/CR Steel	Up to 16 bar
SDKHDD6D60080N00		NG80	NBR/CR Steel	Up to 16 bar
SDKHDD6D60100N00		NG100	NBR/CR Steel	Up to 16 bar
SDKHDD6D60125N00		NG125	NBR/CR Steel	Up to 16 bar
SDKHDD6D60200N00		NG200	NBR/CR Steel	Up to 16 bar
SDKHDD6D60300N00		NG300	NBR/CR Steel	Up to 16 bar

Limit Switches

Part #	List Price \$	Description
EAFSMK		Mechanical Limit Switch
EAFSIK		Inductive Limit Switch



EAFSMK



EAFSIK



1800-OILSOL
1800-645765


<https://oilsolutions.com.au/>

sales@oilsolutions.com.au

Magnetic Oil Drain Plugs



Part #	List Price \$	Thread	Dimensions mm				
			g	h	f	t	d
TCEM0G		1/8" BSPP	3	4	8	3	14
TCEM1G		1/4" BSPP	5	5	12	3	18
TCEM2G		3/8" BSPP	5	5	12	3	22
TCEM3G		1/2" BSPP	6	5	14	4	26
TCEM4G		3/4" BSPP	10	6	16	4	32
TCEM5G		1" BSPP	10	6	16	5	40
TCEM6G		1.1/4" BSPP	15	10	16	5	49

Note: includes metal washer



Magnetic Oil Filter Rods

Part #	List Price \$	Thread	Dimensions mm				
			t	f	l	h	g
FMC1G		3/8" BSPP	7	10	80	70	9
FMC2G		1/2" BSPP	8.5	10	95	85	12
FMC3G		3/4" BSPP	9.5	12	102	90	17
FMC4G		1" BSPP	9.5	14	104	90	17




1800-OILSOL
1800-645765

<https://oilsolutions.com.au/>

sales@oilsolutions.com.au


Filler Breathers

Part #	List Price \$	Thread	Filler	Breather	Material	Dimensions mm						
						d	g	f	h	i	c	e
TRTCSF/Z		1" BSPP	800 µm	40 µm	Aluminium	45	33.3	14	42	82	25	40
TRTCSF/Z-NUT		Backing nuts to suit M12x1.75 thread (sold individually)										



Threaded Breathers

Part #	List Price \$	Thread	Material	Dimensions mm				
				h	f	i	g	d
TCLS/Z1G		1/4" BSPP	Aluminium	12	8	120	5	22
TCLS/Z2G		3/8" BSPP	Aluminium	13.5	10	170	5	26
TCLS/Z3G		1/2" BSPP	Aluminium	16.5	10	170	5	30
TCLS/Z4G		3/4" BSPP	Aluminium	21.5	12	200	5	40
TCLS/Z5G		1" BSPP	Aluminium	21.5	14	200	5	45




Filler Breathers


Part #	List Price \$	Maximum Flow	Micron	Mount	Material
FB3		90 lpm	10 µm	3 bolt - PCD 41.3mm	Chrome Steel
FB6		400 lpm	10 µm	6 bolt - PCD 71.5mm	Chrome Steel
FSBP		400 lpm	10 µm	6 bolt - PCD 71.5mm	Polyamide
FB6LT		400 lpm	10 µm	6 bolt - PCD 71.5mm, lock tab	Chrome Steel
FB6HN		400 lpm	10 µm	6 bolt - PCD 71.5mm, high neck	Chrome Steel
FB6P5		400 lpm	10 µm	6 bolt - PCD 71.5mm, pressure valve 5psi	Chrome Steel
FB6SM		400 lpm	10 µm	6 bolt - side mount	Ch.Steel/Aluminium
PB25		720 lpm	40 µm	Push fit 1-1/2"	Chrome Steel




3 Bolt



6 Bolt



Side Mount



Threaded Breathers

Part #	List Price \$	Maximum Flow	Micron	Thread	Material
TB14		90 lpm	10 µm	1/4" BSPP	Chrome/Steel
TB38		90 lpm	10 µm	3/8" BSPP	Chrome/Steel
TB12		400 lpm	10 µm	1/2" BSPP	Chrome/Steel
TB34		400 lpm	10 µm	3/4" BSPP	Chrome/Steel
TB34P5		400 lpm	10 µm	3/4" BSPP	Chrome/Steel
TB1		400 lpm	10 µm	1" BSPP	Chrome/Steel
TB114		1000 lpm	10 µm	1.1/4" BSPP	Polyamide
TB112		1000 lpm	10 µm	1.1/2" BSPP	Polyamide
TB2		2000 lpm	10 µm	2" BSPP	Polyamide
TB212		4000 lpm	10 µm	2.1/2" BSPP	Polyamide
ABP03B		n/a	40 µm	3/8" BSPP	Polyamide
ABP04B		n/a	40 µm	1/2" BSPP	Polyamide
ABP06B		n/a	40 µm	3/4" BSPP	Polyamide
ABP08B		n/a	40 µm	1" BSPP	Polyamide



TB12



TB2



APB



1800-OILSOL
1800-645765

<https://oilsolutions.com.au/>



sales@oilsolutions.com.au

Suction Strainer

Part #	List Price \$	Micron	Flow	Dimensions mm			
				A	B	C	A/F
SS14		149 µm	8 lpm	1/4" BSPP	90	46	24
SS38		149 µm	12 lpm	3/8" BSPP	90	46	24
SS12		149 µm	20 lpm	1/2" BSPP	105	46	30
SS34		149 µm	28 lpm	3/4" BSPP	109	64	35
SS1		149 µm	40 lpm	1" BSPP	139	64	46
SS114		149 µm	60 lpm	1.1/4" BSPP	139	86	51
SS112		149 µm	120 lpm	1.1/2" BSPP	200	86	60
SS2		149 µm	160 lpm	2" BSPP	235	100	70
SS212		149 µm	300 lpm	2.1/2" BSPP	211	150	90
SS3		149 µm	400 lpm	3" BSPP	272	150	100



Suction Strainer with Bypass

Part #	List Price \$	Micron	Flow	Bypass Pressure	Dimensions mm			
					A	B	C	A/F
SS14B3		149 µm	8 lpm	3 psi	1/4" BSPP	90	46	24
SS38B3		149 µm	12 lpm	3 psi	3/8" BSPP	90	46	24
SS12B3		149 µm	20 lpm	3 psi	1/2" BSPP	105	46	30
SS34B3		149 µm	28 lpm	3 psi	3/4" BSPP	109	64	35
SS1B3		149 µm	40 lpm	3 psi	1" BSPP	139	64	46
SS114B3		149 µm	60 lpm	3 psi	1.1/4" BSPP	139	86	51
SS112B3		149 µm	80 lpm	3 psi	1.1/2" BSPP	168	86	60



Diffusers


Part #	List Price \$	Material Litres	Size
DIF34		3/4" BSPP	50 lpm
DIF1		1" BSPP	100 lpm
DIF114		1.1/4" BSPP	200 lpm



Venting Plug

Part #	List Price \$	Thread	Pressure	Material	Dimensions mm		
					t	f	e
TSVV1G		1/4" BSPP	0-10 bar	Aluminium	10	10	17
TSVV2G		3/8" BSPP	0-10 bar	Aluminium	10	10	22
TSVV3G		1/2" BSPP	0-10 bar	Aluminium	10	10	27


Normally closed to atmosphere, with 2-way adjustable venting



Sight Gauges

Part #	List Price \$	Thread	Material	Dimensions mm				
				f	t	v	e	c
IFC0G		3/8" BSPP	Aluminium	9	6	16	24	9
IFC1G		1/2" BSPP	Aluminium	10	9.5	16	27	9
IFC2G		3/4" BSPP	Aluminium	11	10	16	32	9
IFC3G		1" BSPP	Aluminium	14	10	19	40	13
IFC4G		1.1/4" BSPP	Aluminium	15	10.5	25	50	17
IFC5G		1.1/2" BSPP	Aluminium	15	10.5	33	55	23
IFC6G		2" BSPP	Aluminium	15	14	36	70	24

IFC Series



TLA Series

Sight Gauges





Part #	List Price \$	Thread	Material	Dimensions mm			
				f	t	v	e
TLA1G		1/4" BSPP	Aluminium	8	7	10	17
TLA2G		3/8" BSPP	Aluminium	10.5	7	13	22
TLA3G		1/2" BSPP	Aluminium	11	9	16	27
TLA4G		3/4" BSPP	Aluminium	12	9	21	32
TLA5G		1" BSPP	Aluminium	15.5	10	27	40
TLA6G		1.1/4" BSPP	Aluminium	15	10	37	40
TLA7G		1.1/2" BSPP	Aluminium	15	10	40	55
TLA8G		2" BSPP	Aluminium	17	14	50	70

Sight Gauges

Part #	List Price \$	Material	A	Dimensions mm	
				B	F
SG38		Steel	3/8" BSPP	10	22
SG12		Steel	1/2" BSPP	14	25
SG34		Steel	3/4" BSPP	20	32
SG1		Steel	1" BSPP	24	38
SG114		Steel	1.1/4" BSPP	33	44
SG112		Steel	1.1/2" BSPP	39	55



SG



SGWN




Sight Gauge Weld Flanges

Part #	List Price \$	Material	Thread	Dimensions mm				
				A	B	C	D	E
SGWN38		Steel	3/8" BSPP	38.10	23.62	14.22	7.87	25.40
SGWN12		Steel	1/2" BSPP	54.10	35.05	17.52	11.17	36.57
SGWN34		Steel	3/4" BSPP	54.10	35.05	17.52	11.17	36.57
SGWN1		Steel	1" BSPP	60.45	42.16	19.05	12.70	44.45
SGWN114		Steel	1.1/4" BSPP	68.32	50.80	19.05	12.70	54.10
SGWN112		Steel	1.1/2" BSPP	76.20	57.15	21.74	19.05	60.45



Flanged Vertical Level Gauge

Part #	List Price \$	Material	Dimensions mm							
			L	R	l	r	V1	V2	h	α
LVF-60		Aluminium	60	45	28	35	39	18	11.5	4
LVF-80		Aluminium	80	45	45	35	59	18	11.5	4
LVF-100		Aluminium	100	45	35	35	78	18	11.5	4





1800-OILSOL
1800-645765

<https://oilsolutions.com.au/>


sales@oilsolutions.com.au

Inspection Port Hole

Part #	List Price \$	Material	Dimensions mm			
			f	t	v	e
OBLO-100		Aluminium housing	100	150	130	19.5
OBLO-148		Aluminium housing	148	202	180	21.5



OLBO-100





OLBO-148

Vertical Level Indicator (Float System)

Part #	List Price \$	Material	Dimensions mm				
			L	d	h	l	r
LGF681		Aluminium flange cover	200	80	16	203	68
LGF682		Aluminium flange cover	250	80	16	253	68
LGF683		Aluminium flange cover	300	80	16	303	68
LGF684		Aluminium flange cover	350	80	16	353	68
LGF685		Aluminium flange cover	400	80	16	403	68

Note: When choosing length, the gauge must not be below the pump section




1800-OILSOL
1800-645765

<https://oilsolutions.com.au/>

sales@oilsolutions.com.au

Level Gauge


Part #	List Price \$	Material	Dimensions mm								
			a	L	b	e	q	d	c	f	l
GLV1G		Aluminium	3/8" BSPP	500	40	22	30	22	43	10	530
GLV2G		Aluminium	3/8" BSPP	1000	40	22	30	22	43	10	1030
GLV-2ODAD20A		Backing nuts to suit 3/8" BSPP thread (sold individually)									




Level Gauge

Part #	List Price \$	Size	Type	Dimensions mm					
				A	B	C	D	F	M
LG1		3" / 76mm	Level	76.2	32	23	35	111	M10
LGT1		3" / 76mm	Level - Temperature	76.2	32	23	35	111	M10
LG2		5" / 127mm	Level	127	76	23	35	162	M12
LGT2		5" / 127mm	Level - Temperature	127	76	23	35	162	M12
LG3		10" / 254mm	Level	254	200	23	35	289	M12
LGT3		10" / 254mm	Level - Temperature	254	200	23	35	289	M12


3" / 5"



10"



LG1



LGT2



LGT3


Electrical Level Gauge

Part #	List Price \$	Material	Dimensions mm							
			a	L	e	q	d	c	f	l
GLVE1G		Aluminium	3/8" BSPP	500	22	30	22	43	10	530
GLVE2G		Aluminium	3/8" BSPP	1000	22	30	22	43	10	1030
GLV-2ODAD20A		Backing nuts to suit 3/8" BSPP thread (sold individually)								



Electrical Information

Contact	N / O
Sensing	Min & max oil level
AC	140v AC
DC	200v DC
Amps	0.5a
Watts	10w




Electrical Level Gauge

Part #	List Price \$	Material	Dimensions mm									
			L	r	v	C	i	f	h	a	b	s
PLE2		Aluminium	160	34	88	16.5	127	M12	21.5	16	29	59
PLE3		Aluminium	287	34	215	16.5	254	M12	21.5	16	29	59

Electrical Information


Contact	N / O
Sensing	Min oil level
Lead Length	2500mm
AC	250v AC
DC	250v DC
Amps	0.5a
IP	IP67





Electrical Level Gauge

Part #	List Price \$	Size	Description	Dimensions mm		
				M	A	H
LVK10AM121SSP01		3"	Low level - N/O switch	M12	76	108
LVK10AM121PSP01		3"	Low level - N/O switch, PT100 temp sensor	M12	76	108
LVK20AM121SSP01		5"	Low level - N/O switch	M12	127	159
LVK20AM121PSP01		5"	Low level - N/O switch, PT100 temp sensor	M12	127	159
LVK20AM121T2P01		5"	Low level - N/O switch, 60° NO temp sensor	M12	127	159
LVK30AM121SSP01		10"	Low level - N/O switch	M12	254	286
LVK30AM121PSP01		10"	Low level - N/O switch, PT100 temp sensor	M12	254	286
LVK30AM121T2P01		10"	Low level - N/O switch, 60° NO temp sensor	M12	254	286
LVK30AM121T3P01		10"	Low level - N/O switch, 70° NO temp sensor	M12	254	286
TV12			Visual temperature gauge			


Reservoir holes



Sensor thermometer




SS type



PT 100

PS type



T2 type



3"



5"



10"



TV12

Hydraulics Network



1800-OILSOL
1800-645765

<https://oilsolutions.com.au/>

sales@oilsolutions.com.au

MELBOURNE VICTORIA

- 📍 23 Quinlan Road, Epping, VIC 3076
- ✉️ sales@hydraulicsnetwork.com.au
- ☎️ 03 9399 8957

BRISBANE QUEENSLAND

- 📍 29 Annie Street, Coopers Plains, QLD 4108
- ✉️ salesqld@hydraulicsnetwork.com.au
- ☎️ 07 3277 5969

www.hydraulicsnetwork.com.au

AUSTRALIAN-OWNED
INDEPENDENT HYDRAULICS WHOLESALER